20th December 1954]

SRI S. RAMALINGAM :—" ஸார், ஒன்றிரண்டு பஸ்கள் வைத்துக் கொண்டிருக்கும் முதலாளிகள் சர்க்காருடைய உத்தரவினால் பாதிக்கப் பட்டிருக்கிறார்கள். அதனால், அவர்கள் சர்க்காருக்கு விண்ணப்பம் கொடுத்திருக்கிறார்கள். அதன்மேல் சர்க்கார் என்ன முடிவு எடுத்திருக் கிறார்கள் ?"

THE HON. SRI B. PARAMESWARAN :—" Government have not received any representations till now. They will be considered, if received."

SRI M. PALANIYANDI :—" ஸார், இந்த சிறு மீன்களாகிய சிறு பஸ் முதலாளிகளை பெரிய திமிங்கிலமாகிய பெரிய பஸ்முதலாளிகளுடன் கொண்டுபோய் சேர்ப்பது நல்லதா என்று கேட்கிறேன்."

THE HON. SRI B. PARAMESWARAN :—" The number is restricted to ten."

Electricity schemes under the Five-Year Plan.

* 445 *Q.*—SRI N. K. PALANISAMY : Will the Hon. the Minister for Public Works be pleased to state—

(*a*) whether the Electricity schemes under the Five-Year Plan have been finished;

(*b*) how many Engineers were newly taken during 1953–54; and

(*c*) how many workers were retrenched during that year?

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" (*a*) Almost all the generation schemes covered by the First Five-Year Plan have been completed and the target of additional generating capacity set under the Plan, viz., 111,000 K.W., is also expected to be reached before the end of this year with the commissioning of the 15,000 K.W. plant under the Madras II Stage Extensions now under erection. The Transmission Lines and Distribution Scheme and the scheme for acquisition of electricity undertakings are in progress. The Periyar generation scheme has just been started.

" (*b*) Forty-nine—consisting of three Assistant Engineers and 46 Junior Engineers appointed under the emergency provisions.

" (*c*) Four thousand five hundred and sixty-four workers. Of these, more than 2,500 have since been re-employed and the rest will also be absorbed as and when vacancies arise, in preference to new recruits. Workers in the Electricity Department are discharged from service on the completion of the specific works for which they were recruited and they are given preference when new works are taken up, if willing and suitable."

SRI N. K. PALANISAMY :—" ஸார், ஐந்தாண்டு திட்டத்தின் கீழ் பல விஸ்தரிப்பு வேலைகள் நடக்கும்போது பல தொழிலாளர்கள் நீக்கப்படு கிறார்கள். ஆனால் அதே சமயத்தில் பல இஞ்சினியர்களை அதிகப்படுத்திக் கொண்டிருக்கிறார்கள். இந்த மாதிரி தொழிலாளர்களை நீக்கி விட்டு

அதற்கு பதிலாக டெம்பரவரி ஆட்களைப் போடுவதுதான் சர்க்காருடைய கொள்கையா ? அப்படி அல்ல என்று சர்க்கார் உத்தரவாதம் கொடுப்பார்களா ? "

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" I have already stated in my reply that as soon as the works were completed, they were relieved. They will be reabsorbed as soon as fresh works are taken up under the extension schemes."

SRI S. RAMALINGAM :—" ஸார், கிராமங்களில் மின்சார சக்தியை விஸ்தரிப்பதற்கு சர்க்கார் திட்டமிட்டிருக்கிறார்கள். அந்த வேலைகளுக்கு நீக்கப்பட்ட தொழிலாளர்களை துரிதமாக சர்க்கார் எடுத்துக்கொள்ளுவார்களா? அவ்விதம் அவர்களை துரிதமாக எடுத்துக்கொண்டு கிராமங்களில் மின் சாரத்தை விஸ்தரிப்பதற்கு சர்க்கார் முன்வருவார்களா ? "

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" Certainly, when there is work, they will be taken back."

11-30 a.m. SRI N. K. PALANISAMY :—" ஸார், சாதாரணமாக (மதராஸ்) ஜெனரல் எலக்ட்ரிக் கார்பொரேஷனில் 1952-ம் வருஷத்திலிருந்து 400 பேர்கள் வேலையிலிருந்து நீக்கப்பட்டிருக்கிறார்கள். அவர்களை மறுபடியும் வேலைக்கு எடுத்துக்கொள்ள மாட்டேன் என்று சர்க்கார் சொல்லுகிறார்கள். அவர்களை வேலைக்கு எடுத்துக்கொள்ளுவார்களா என்று கேட்கிறேன்."

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" I have already stated that we would employ them whenever and wherever necessary. But the hon. Member is asking again whether they will be taken. Against what work are they to be taken? If there is work they will be taken, Sir."

SRI T. S. ARDHANARI :—" வேலை இழந்த தொழிலாளிகளுக்கு சர்க்கார் ஏதாவது நிவாரணம் கொடுப்பதற்கு முன்வருமா ? "

THE HON. RAJA SRI SHANMUGA RAJESWARA SETHUPATHI :—" No, Sir. There is no such provision for temporary workers."

Water-supply to Turaiyur, Tiruchirappalli district, from the Kasikulam tank.

* 446 *Q.*—SRI P. RANGASWAMI REDDIAR : Will the Hon. the Minister for Health be pleased to state—

(*a*) whether the Sanitary Engineer, Madras, inspected the Kasikulam tank at Turaiyur, Tiruchirappalli district, on 19th February 1954, and advised the Panchayat Board, Turaiyur, to de-silt the said tank, with a view to supply water to the town, from that tank;

(*b*) whether the Sanitary Engineer advised the Panchayat Board to take action urgently, so that the work could be completed ahead of the summer and the supply to the town made available?